

FEBRUARY 2024

HOT DEVIL[®]

TRADIES SWEAR BY IT[™]

PRODUCT GUIDE

FEBRUARY 2024

CORDLESS BUTANE GAS RANGE
PROPANE & TRADE MAP GAS RANGE
GAS CYLINDERS & CARTRIDGES
HEAT WANDS & WEED KILLERS
ELECTRIC SOLDERING IRON RANGE
ACCESSORIES



LNMarketing.
Wholesale and Distribution

To view all our products visit www.hotdevil.com.au



HOT DEVIL® CORDLESS BUTANE GAS RANGE



FLEXIBLE LIGHTER
HDFL



FEATURES

- Auto ignition
- Flexible stem
- Adjustable flame control
- Refillable
- Bonus gas

IDEAL FOR:

- Ovens & cookers
- Candles
- Outdoors
- Camping
- BBQs

* Not recommended to run the lighter for more than 2 minutes at a time.

FOLDS FOR COMPACT STORAGE



ADJUSTABLE LIGHTER
HDAL



FEATURES

- Auto ignition
- Adjustable stem
- Adjustable flame control
- Refillable
- Bonus gas

IDEAL FOR:

- Ovens & cookers
- Candles
- Outdoors
- Camping
- BBQs

* Not recommended to run the lighter for more than 2 minutes at a time.



HEAT SHRINK KIT & BLOW TORCH
HD911



FEATURES

- Auto ignition
- Refillable with purified butane gas
- Burn temp 1350°C
- Heat shrink temp 500°C
- Adjustable gas flow

IDEAL FOR:

- Heat shrink
- General heating applications

* Not recommended to run the torch for more than 10 minutes at a time.



MINI GAS BLOW TORCH
HD3200



FEATURES

- Auto ignition
- 1350°C burn temp
- Refillable with purified butane gas
- Safety cap

IDEAL FOR:

- Soldering
- Heat shrink
- Loosening rusted nuts/bolts/screws
- Strip paint

* Not recommended to run the torch for more than 10 minutes at a time.



MICRO GAS LIGHTER
HDMGL

FEATURES

- Auto ignition
- 1 hour burn time *
- Child resistant ignition switch
- Refillable with purified butane gas
- Available in assorted colours

IDEAL FOR:

- General lighting
- Pilot lights
- BBQ's
- Candles

* Not recommended to run the lighter for more than 2 minutes at a time.



GAS POWERED TORCH BONUS PACK
HD8100



FEATURES

- Auto ignition
- 40 mins. burn time*
- Burn temp. 1350°C
- Adjustable gas flow
- Refillable with purified butane gas

IDEAL FOR:

- Soldering
- Heat shrink
- Loosening rusted nuts/bolts/screws
- Strip paint

* Not recommended to run the torch for more than 10 minutes at a time.



MICRO GAS TORCH COUNTER DISPLAY
H08B/H08CD



FEATURES

- Auto ignition
- Safety lock
- Adjustable flame
- Refillable with butane gas
- Assorted colours

IDEAL FOR:

- Heat shrink
- Soldering
- Candles
- Outdoors
- Pilot lights

* Not recommended to run the torch for more than 10 minutes at a time.



ULTIMATE BLOW TORCH HDUT



FEATURES

- Auto ignition
- Large ergonomic grip
- Adjustable flame
- Refillable with butane gas
- Burn temp. 1350°C

* Burn time 30 minutes+. Refillable with Purified Butane Gas, supplied empty.

IDEAL FOR:

- Plumbing repairs
- Wood graining
- Loosening rusted nuts/bolts/screws
- Strip paint



GAS TORCH & SOLDERING IRON HD1938-2



FEATURES

- Manual ignition
- Interchangeable tips
- Torch temp 1350°C
- Solder temp 400°C
- Refillable with purified butane gas

* Not recommended to run the torch for more than 10 minutes at a time.

IDEAL FOR:

- Electrical soldering
- Heat shrink
- Circuitry soldering
- Wood burning
- De-soldering



PROFESSIONAL BLOW TORCH HD910



FEATURES

- Auto ignition
- Adjustable gas flow
- Stainless steel burner tube
- Burn temp. 1350°C
- Anti flare feature

* Not recommended to run the torch for more than 10 minutes at a time.

IDEAL FOR:

- Soldering
- Heat shrink
- Loosening rusted nuts/bolts/screws
- Pre-heating metals



9 IN 1 GAS TORCH & SOLDERING IRON KIT HD1938K



FEATURES

- Manual ignition
- 1 hour burn time*
- Soldering temp. 400°C
- Torch temp. 1300°C
- Hot blow temp. 500°C

* Not recommended to run the torch for more than 10 minutes at a time.

IDEAL FOR:

- Electrical soldering
- Heat shrink
- Wood burning
- Foam cutting
- Engraving



3 IN 1 GAS TORCH & SOLDERING IRON HD909



FEATURES

- Auto ignition
- Rotating head
- Soldering temp. 400°C
- Hot blow temp. 500°C
- Torch temp. 1300°C

* Not recommended to run the torch for more than 10 minutes at a time.

IDEAL FOR:

- Electrical soldering
- Heat shrink
- Circuitry soldering
- Wood burning
- De-soldering



BUTANE GAS TORCH HD988/CT988



FEATURES

- Auto ignition
- Anti-flare feature
- Safety lock
- Torch temp. 1350°C
- Adjustable gas flow

* Not recommended to run the torch for more than 10 minutes at a time.

IDEAL FOR:

- Soldering
- Heat shrink
- Loosening rusted nuts/bolts/screws
- Strip paint

10 PIECE SOLDERING IRON & BLOW TORCH KIT HD1971K



3 PIECE SOLDERING IRON & BLOW TORCH HD1970



FEATURES

- Auto ignition
- 1 hour burn time*
- Soldering temp. 400°C
- Torch temp. 1300°C
- Blow tip temp. 500°C

* Not recommended to run the torch for more than 10 minutes at a time.

IDEAL FOR:

- Electrical soldering
- Heat shrink
- Wood burning
- Foam cutting
- Engraving

HOT DEVIL® PROPANE & TRADE MAP GAS RANGE



TRADE MAP SUPER FLAME TORCH KIT HD600



FEATURES

- Automatic ignition
- Continuous burn lock button
- Inbuilt anti-flare feature
- Large stainless steel & brass burner tube assembly
- Burn temperature 2050°
- Swirl flame for faster heat transfer
- Solid metal construction
- On/Off switch lock function
- Includes 400gm Trade Map gas cylinder

IDEAL FOR:

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/mild steel/aluminium
- Soft soldering & delicate applications
- Heat shrink
- General heating applications



TRADE MAP TWIN TORCH KIT HD032



FEATURES

- Auto ignition
- Solid brass internals
- Brass adjustable burner tube
- Hardened ABS handle for heat & impact resistance
- Swirl flame action transfers heat up to 40% faster
- Anti flare feature
- Ignition lock on/off
- Adjustable gas flow
- Burn temp 2050°C
- CGA600 thread

IDEAL FOR:

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/mild steel/aluminium
- Soft soldering & delicate applications
- Heat shrink
- General heating applications



TRADE MAP TORCH KIT HD030



FEATURES

- Auto ignition
- Solid brass internals
- Brass adjustable burner tube
- Hardened ABS handle for heat & impact resistance
- Swirl flame action transfers heat up to 40% faster
- Anti flare feature
- Ignition lock on/off
- Adjustable gas flow
- Burn temp 2050°C
- CGA600 thread

IDEAL FOR:

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/mild steel/aluminium
- Heat shrink
- General heating applications



TRADE MAP SWIRL FLAME TORCH KIT HD027



FEATURES

- Auto ignition
- Solid brass internals
- Stainless steel adjustable burner tube
- Hardened ABS handle for heat & impact resistance
- Swirl flame action transfers heat up to 40% faster
- Anti flare feature
- Adjustable gas flow
- Burn temp 2050°C
- CGA600 thread

IDEAL FOR:

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/mild steel/aluminium
- Heat shrink
- General heating applications



TRADE MAP TWIN BURNER TORCH KIT HD033



FEATURES

- Auto ignition
- Super flame
- Single or dual flame operation
- Burner tube swivels 360°
- Solid brass assembly
- Burns up to 25% hotter
- CGA600 thread

IDEAL FOR:

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/mild steel/aluminium
- Heat shrink
- General heating applications



PROPANE WEBBED FLAME TORCH KIT HD7011



FEATURES

- Auto ignition
- Portable/lightweight
- Stainless steel burner tube
- Adjustable gas flow
- Anti flare feature
- Burn temp 1898°C
- CGA600 thread
- Powered by propane

IDEAL FOR:

- Soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Electrical applications
- Heat shrink
- Automotive & heat applications



PROPANE TORCH KIT WITH HAND SPARKER HDPTK



FEATURES

- Manual ignition
- Portable/lightweight
- Solid brass burner tube
- Burn temp 1898°C
- Anti flare feature
- Adjustable gas flow
- CGA600 thread
- Powered by propane

IDEAL FOR:

- Soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Heat shrink
- Automotive & heat applications



OXYPOWER BLOW TORCH KIT HD0XP



FEATURES

- Welding, Heating & Brazing Tool
- Lightweight & Portable
- Oxygen/Fuel Control
- Integrated Pressure Gauges
- Solid Brass Fittings
- Sturdy Metal Stand
- Pin Point Burner Tip
- Includes hand sparker
- Includes tinted safety glasses

IDEAL FOR:

- Soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/mild steel/aluminium
- Automotive & heat applications

HOT DEVIL® GAS CYLINDERS & CARTRIDGES



TRADE MAP GAS CYLINDER HDTRD

FEATURES

- Trade Map gas
- Burn temp 2050°C
- Disposable cylinder
- CGA600 thread
- Contains propylene (100%)
- 400gm / 14.1oz



PROPANE GAS CYLINDER HDPRO

FEATURES

- Propane gas
- Burn temp 1898°C
- Disposable cylinder
- CGA600 thread
- Contains propane (>95%) & propylene (<5%)
- 400gm / 14.1oz



OXYGEN CYLINDER HDOXGN

FEATURES

- Compressed oxygen
- Disposable cylinder
- Reverse CGA600 thread
- Contains oxygen, compressed, pure
- 40.1gm / 1.4oz



TRADE MAP GAS VALUE 3 PACK HDTP



PROPANE GAS VALUE 3 PACK HDPP

**IMPROVED
11x PURIFIED**



PURIFIED 11X BUTANE GAS 300ML COUNTER DISPLAY HDGA5



FEATURES

- Butane gas, purified 11 times
- Burn temp 1350°C
- Disposable cylinder
- Universal connection
- Contains approx. 60% butane, 36% isobutane, 2% propane
- Multiple adaptors included in the cap
- 300ml / 10 fl oz
- ISO9001

**IMPROVED
11x PURIFIED**



BUTANE GAS CARTRIDGE 4 PACK HD200C



FEATURES

- Butane gas, purified 11 times
- Burn temp 1350°C
- Disposable cylinder
- Bayonet connection
- Contains approx. 60% butane, 36% isobutane, 2% propane
- 220gm



UNIVERSAL GAS REFILL 18ML COUNTER DISPLAY HDMG

FEATURES

- Butane gas, ultra refined
- Burn temp 1350°C
- Disposable bottle
- Universal connection
- Contains approx. 60% butane, 36% isobutane, 2% propane
- 18ml

HOT DEVIL® HEAT WANDS & WEED KILLERS

HEAT WAND / WEED KILLER

HDWK

FEATURES

- Auto ignition
- Burn temp 1350°C
- 650mm burner tube
- Lightweight/portable
- Adjustable gas flow
- Kills weeds without using poison
- Bayonet fitting

IDEAL FOR:

- Weeding rockeries, paving, pathways & concrete driveways
- Use in wet or dry conditions
- Lighting BBQ's, firepits, wood heaters and much more



SUPER WEED KILLER / HEAT WAND

HD8936B

FEATURES

- Auto ignition
- Burn temp 1898°C
- 850mm burner tube
- Lightweight/portable
- Adjustable gas flow
- Kills weeds without using poison
- CGA600 thread

IDEAL FOR:

- Weeding rockeries, paving, pathways & concrete driveways
- Use in wet or dry conditions
- Lighting BBQ's, firepits, wood heaters and much more



HOT DEVIL® ELECTRIC SOLDERING IRONS

ELECTRIC SOLDERING IRON 30 WATT

HDS30W



KIT INCLUDES:

- Soldering iron 30W
- Stand & spare tip

ELECTRIC SOLDERING IRON 60 WATT

HDS60W



KIT INCLUDES:

- Soldering iron 60W
- Stand & spare tip

ELECTRIC SOLDERING IRON 80 WATT

HDS80W



KIT INCLUDES:

- Soldering iron 80W
- Stand & spare tip

CORDLESS RECHARGEABLE SOLDERING IRON

HDRSI

FEATURES:

- Rechargeable
- USB Charger
- Power Indicator
- Soldering Temp. 480°C
- Portable & Lightweight



WOOD BURNING KIT

HDWBK

KIT INCLUDES:

- 30W Wood Burning Unit
- 10 x Wood Burning Tips
- 9 x Wood Burning Stamps
- Lettering Stencil
- Soldering Tip
- Knife & Collet



HOT DEVIL® ACCESSORIES



SCAN TO SEE
THE BOOMBOX
IN ACTION

BOOMBOX WIRELESS SPEAKER HDBOOMBOX



SCAN TO SEE
THE GAS STOVE
IN ACTION

TWIN BURNER BUTANE GAS STOVE HDTBS



ROSIN CORE SOLDER HDRCS

FEATURES

- 220°C melting point
- Suitable for electrical soldering



ACID CORE SOLDER HDACS

FEATURES

- 220°C melting point
- Suitable for metal work soldering



ALUMINIUM BRAZING RODS 5PK HDAWR

Melting Temp.
577°C to 582°C



SOLID WIRE SOLDER HDSWS

FEATURES

- 220°C melting point
- Suitable for plumbing & automotive repairs



WATER SOLUBLE FLUX HDWF

FEATURES

- 50g. water soluble paste flux
- 104°C boiling point



GENERAL PURPOSE BRAZING RODS 5PK HDCPR

Working Temp.
732°C - 843°C



HEAT REFLECTOR GUARD HDHRG

FEATURES

- Stainless steel curved protective guard
- Locking wingnut
- Suits HD027 & HDSTK
- Protect nearby surfaces from heat related damage

HAND SPARKER HDSPK



BRASS TORCH HEAD RHPTK

IDEAL FOR:

- Soldering & brazing
- Loosening rusted nuts/bolts/screws
- Removing paint or putty
- Lighting wood fires and heat beads

HOT DEVIL®
TRADIES SWEAR BY IT™

To view all our products visit
www.hotdevil.com.au

Follow us on Social Media



LNMarketing.
Wholesale and Distribution

PO Box 141, Patterson Lakes, VIC 3197
35A Lakewood Blvd, Carrum Downs, VIC 3201
Ph: 03 9775 0713 Fax: 03 9775 1428
Enquires: sales@lnmarketing.com.au